

STATE GRID NORTH
BY GNSS
FROM SCVRS
ALL DISTANCES SHOWN ARE
SC GRID SCALE-NAD83 (2011)

LEGEND

KERSHAW COUNTY G.I.S.

RICHLAND COUNTY G.I.S.


FAIRFIELD COUNTY G.I.S.

USGS WATER FEATURES

O(XXX)

COMPUTED CORNER


COUNTY LINE SIGN



DISTANCE TO FAIRFIELD COUNTY COURTHOUSE
PT 100,001 (18.10 MILES)
PT 1,608 (16.78 MILES)
PT 10,203 (15.05 MILES)

DISTANCE TO RICHLAND COUNTY COURTHOUSE
PT 10,203 (13.99 MILES)
PT 1,608 (21.67 MILES)
PT 10,198 (18.71 MILES)

DISTANCE TO KERSHAW COUNTY COURTHOUSE
PT 100,001 (12.88 MILES)
PT 1,608 (12.56 MILES)
PT 10,198 (13.86 MILES)



DRAWING BY BEATRICE VISOCKIS

SURVEYOR'S SEAL

SURVEYOR'S SEAL

C.O.A. SEAL



REVISION SCHEDULE			
NO.	DATE	DESCRIPTION	CHECKED

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
**FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY**
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1.5 MILES

0 1.5 MILES 3 MILES 4.5 MILES 6 MILES 7.5 MILES 9 MILES

SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297


BRIAN B. BONDS; S.C.P.L.S. # 28582

I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

PHOTOGRAPHY: USDA 2023

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)

LEGEND	
---	KERSHAW COUNTY G.I.S.
---	RICHLAND COUNTY G.I.S.
---	FAIRFIELD COUNTY G.I.S.
---	USGS WATER FEATURES
○(XXX)	COMPUTED CORNER
—○—	COUNTY LINE SIGN



DRAWING BY BEATRICE VISOCKIS

REVISION SCHEDULE		
NO.	DATE	CHECKED

SURVEYOR'S SEAL	SURVEYOR'S SEAL	C.O.A. SEAL

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
**FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY**
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025

SCALE: 1 INCH = 1,000 FEET
0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'

SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582


I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

SHEET 2 OF 9

164296-2

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)

LEGEND	
	KERSHAW COUNTY G.I.S.
	RICHLAND COUNTY G.I.S.
	FAIRFIELD COUNTY G.I.S.
	USGS WATER FEATURES
	COMPUTED CORNER
	COUNTY LINE SIGN



DRAWING BY BEATRICE VISOCKIS

SURVEYOR'S SEAL		C.O.A. SEAL		REVISION SCHEDULE		
				NO.	DATE	CHECKED

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
**FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY**
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET
0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'
SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582
I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.


STATE GRID NORTH
BY GLSS
FROM SCRS
NAD83 (2011)

LEGEND

KERSHAW COUNTY G.I.S.

RICHLAND COUNTY G.I.S.

O(XXX)



DRAWING BY BEATRICE WISOCKI

SURVEYOR'S SEAL

B. B. Bonds

06-17-2025

SURVEYOR'S SEAL

SOUTH CAROLINA

NO. 28582

BRIAN B. BONDS

C.O.A. SEAL

GLENN ASSOCIATES SURVEYING, INC.

NO. C02238

REVISION SCHEDULE

NO.	DATE	DESCRIPTION	CHECKED


MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET
0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'
SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582
I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)

LEGEND	
	KERSHAW COUNTY G.I.S.
	RICHLAND COUNTY G.I.S.
	FAIRFIELD COUNTY G.I.S.
	USGS WATER FEATURES
	COMPUTED CORNER
	COUNTY LINE SIGN

MATCH LINE SHEET 5
MATCH LINE SHEET 4



DRAWING BY BEATRICE VISOCKIS

REVISION SCHEDULE		
NO.	DATE	DESCRIPTION

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET

0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'

SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582


I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

SHEET 5 OF 9

164296-2

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)

LEGEND	
	KERSHAW COUNTY G.I.S.
	RICHLAND COUNTY G.I.S.
	FAIRFIELD COUNTY G.I.S.
	USGS WATER FEATURES
	COMPUTED CORNER
	COUNTY LINE SIGN



DRAWING BY BEATRICE VISOCKIS

REVISION SCHEDULE		
NO.	DATE	CHECKED

GLINN ASSOCIATES SURVEYING, INC.

NO. 28582

BRIAN B. BONDS

STATE OF SOUTH CAROLINA

GLINN ASSOCIATES SURVEYING, INC.

No. C02238

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
**FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY**
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET

0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'


SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582

I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

STATE GRID NORTH
BY GNSS
FROM SCVRS
MAD83 (2011)

LEGEND	
---	KERSHAW COUNTY G.I.S.
---	RICHLAND COUNTY G.I.S.
---	FAIRFIELD COUNTY G.I.S.
---	USGS WATER FEATURES
○ (XXX)	COMPUTED CORNER
—	COUNTY LINE SIGN



DRAWING BY BEATRICE VISOCKIS

SURVEYOR'S SEAL

SURVEYOR'S SEAL

C.O.A. SEAL

REVISION SCHEDULE

NO.	DATE	DESCRIPTION	CHECKED

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY

FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025

SCALE: 1 INCH = 1,000 FEET

0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'

SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582



I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

SHEET 7 OF 9

16429G-2

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)

LEGEND	
---	Kershaw County G.I.S.
---	Richland County G.I.S.
---	Fairfield County G.I.S.
---	USGS Water Features
O(XXX)	Computed Corner
---	County Line Sign



DRAWING BY BEATRICE WISOCKIS

SURVEYOR'S SEAL		C.O.A. SEAL		REVISION SCHEDULE		
SURVEYOR'S SEAL		C.O.A. SEAL		NO.	DATE	CHECKED
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				
SURVEYOR'S SEAL		C.O.A. SEAL				

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET

0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'
SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29063 telephone (803) 345-5297

BRIAN B. BONDS; S.C.P.L.S. # 28582
I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.


SHEET 8 OF 9

164296-2

STATE GRID NORTH
BY GNSS
FROM SCVRS
NAD83 (2011)



LEGEND	
	KERSHAW COUNTY G.I.S.
	RICHLAND COUNTY G.I.S.
	FAIRFIELD COUNTY G.I.S.
	USGS WATER FEATURES
	COMPUTED CORNER
	COUNTY LINE SIGN



DRAWING BY BEATRICE VISOCKIS

SURVEYOR'S SEAL

SURVEYOR'S SEAL

C.O.A. SEAL

REVISION SCHEDULE

NO.	DATE	DESCRIPTION	CHECKED

MAP OF SURVEY
FOR THE RE-ESTABLISHMENT OF THE
FAIRFIELD, KERSHAW, AND RICHLAND
COMMON BOUNDARY
FAIRFIELD, KERSHAW, AND RICHLAND COUNTY, SOUTH CAROLINA
JUNE 17, 2025
SCALE: 1 INCH = 1,000 FEET

0 1,000' 2,000' 3,000' 4,000' 5,000' 6,000'

SURVEYED BY GLENN ASSOCIATES SURVEYING, INC.
P.O. BOX 12 JENKINSVILLE, S.C. 29065 telephone (803) 345-5297

BRIAN B. BONDS, S.C.P.L.S. # 28582

I HEREBY STATE THAT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS OF PRACTICE MANUAL FOR SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS "A" SURVEY AS SPECIFIED THEREIN.

SHEET 9 OF 9

16429G-2